Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

1 Identification

- · Product identifier
- Trade name: AQUABLAK 115
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

[–] US

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH1FIRE0FIRE0REACTIVITY0

Health = 1
 Fire = 0
 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

	ORGANIC PIGMENT	25-50%	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear appropriate safety equipment.

(Contd. on page 3)

US

Page 2/10



Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/24/2022

Printing date 11/09/2022

Trade name:	AQU	ABL	.AK	115
-------------	-----	-----	-----	-----

_ .		(Contd. of page 2)
	ental precautions: Do not allow to enter sewers/ surface or ground water.	
	Ind material for containment and cleaning up: h liquid-binding material (sand, diatomite, acid binders, universal binders, sa	wdust)
	opriate safety equipment.	wuust).
Contain an	d clean up spill immediately.	
Prevent fro	m entering floor drains.	
	vders carefully minimizing dusting.	
	spill materials into disposal drums and follow disposal instructions. area with detergent and flush with copious amount of water.	
	to other sections	
	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment.	
	n 13 for disposal information.	
	Action Criteria for Chemicals	
· PAC-1:		0.0
	AMINO-METHYL-PROPANOL	6.9 mg/m ³
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m ³
	sodium hydroxide	0.5 mg/m ³
	ethylene oxide	5 ppm
	propylene oxide	73 ppm
123-91-1	1,4-dioxane	17 ppm
· PAC-2:		
9003-11-6	AMINO-METHYL-PROPANOL	76 mg/m³
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m³
75-21-8	ethylene oxide	45 ppm
75-56-9	propylene oxide	290 ppm
123-91-1	1,4-dioxane	320 ppm
· PAC-3:		
9003-11-6	AMINO-METHYL-PROPANOL	460 mg/m ³
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m ³
	sodium hydroxide	50 mg/m ³
75-21-8	ethylene oxide	200 ppm
75-56-9	propylene oxide	870 ppm
123-91-1	1,4-dioxane	760 ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 3)

• **Conditions for safe storage, including any incompatibilities** Keep containers closed when not in use.

Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment:
- If exposure to dust is likely, a NIOSH approved dust respirator is recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Always wear safety glasses.
- Body protection:
- · Light weight protective clothing

Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

• Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible. Shower after handling this product.

Workclothes should be washed before reuse.

(Contd. on page 5)

US

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 4) Before eating, drinking or smoking, wash hands and face with soap and water.

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Black
Odor:	Light
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not missiple, an difficult to miss
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water: VOC Content:	64.7 % 0.0 g/l / 0.00 lb/gal

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: May be irritant.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

US

2B

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
· Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

CHR

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
• TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
75-21-8 ethylene oxide
75-56-9 propylene oxide
123-91-1 1,4-dioxane
· Proposition 65
· Chemicals known to cause cancer:

75-21-8	ethylene oxide
75-56-9	propylene oxide
123-91-1	1,4-dioxane

· Chemicals known to cause reproductive toxicity for females:

75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for males:

75-21-8 ethylene oxide

· Chemicals known to cause developmental toxicity:

75-21-8 ethylene oxide

• New Jersey Right-to-Know List:

1310-73-2 sodium hydroxide

128-37-0Butylated hydroxytoluene75-21-8ethylene oxide

75-56-9 propylene oxide 123-91-1 1,4-dioxane

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

Carbon Black, non activated, mineral origin

A4

• NIOSH-Ca (National Institute for Occupational Safety and Health)

Carbon Black, non activated, mineral origin

· Canadian Domestic Substances List (DSL)

7732-18-5 MS-BL-WATER

(Contd. on page 9)

⁻ US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 8)

	Carbon Black, non activated, mineral origin
9003-11-6	AMINO-METHYL-PROPANOL
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
	sodium hydroxide
2634-33-5	1,2-benzisothiazol-3(2H)-one
128-37-0	Butylated hydroxytoluene
75-21-8	ethylene oxide
123-91-1	1,4-dioxane
Canadian	Non-Domestic Substances List (NDSL)
None of the	e ingredients is listed.
GHS label	elements
The produce Hazard pice	t is classified and labeled according to the Globally Harmonized System (GHS).
Hazard sta Causes ski	n irritation.
Signal wor Hazard sta Causes ski Precaution Wash thore Wear prote If on skin: V Specific tre If skin irrita	Itements
Signal wor Hazard sta Causes ski Precaution Wash thord Wear prote If on skin: \ Specific tre If skin irrita Take off co	atements n irritation. hary statements bughly after handling. ctive gloves. Vash with plenty of water. atment (see on this label). tion occurs: Get medical advice/attention.
Signal wor Hazard sta Causes ski Precaution Wash thord Wear prote If on skin: N Specific tree If skin irrita Take off co National re Other regu CA prop 65 This produ defects or Enforcement testing sho the best o	n irritation. hary statements bughly after handling. ctive gloves. Vash with plenty of water. atment (see on this label). tion occurs: Get medical advice/attention. intaminated clothing and wash it before reuse. egulations: Ilations, limitations and prohibitive regulations for contains a chemical(s) known to the state of California to cause cancer and/or birl other reproductive harm. Pursuant to the California Safe Drinking Water and Tox and Act of 1986 we are required to provide the above warning in the absence of definitiv wing risks from long-term exposure to chemicals present in our formulations do not exist. T f our knowledge, this product complies with all Federal and Sate laws and regulation
Signal wor Hazard sta Causes ski Precaution Wash thore Wear prote If on skin: N Specific tree If skin irrita Take off co National re Other regu CA prop 65 This produ defects or Enforcement testing sho the best o governing i	In irritation. In irritation. In irritation. In irritation. In irritation. In irritation. It is a chemical advice/attention. Intaminated clothing and wash it before reuse. Intaminated clothing and wash it before reuse. Intaminated clothing and prohibitive regulations Intact contains a chemical(s) known to the state of California to cause cancer and/or birt other reproductive harm. Pursuant to the California Safe Drinking Water and Tox Intact of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. T
Signal wor Hazard sta Causes ski Precaution Wash thore Wear prote If on skin: N Specific tree If skin irrita Take off co National re Other regu CA prop 65 This produ defects or Enforcement testing sho the best o governing in State - Rig	Attements n irritation. hary statements bughly after handling. ctive gloves. Vash with plenty of water. atment (see on this label). tion occurs: Get medical advice/attention. intaminated clothing and wash it before reuse. egulations: Itations, limitations and prohibitive regulations inter reproductive harm. Pursuant to the state of California to cause cancer and/or bird other reproductive harm. Pursuant to the California Safe Drinking Water and Tox and Act of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. To f our knowledge, this product complies with all Federal and Sate laws and regulation ts manufacturing, distribution and intended use.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

(Contd. on page 10)

US-



Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 06/24/2022

Trade name: AQUABLAK 115

(Contd. of page 9)

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

· Department issuing SDS: Environment protection department.

- · Contact: Carlo Benedetti
- Date of preparation / last revision 11/09/2022 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation - Category 2

us -